

فريتال®

محلول رغوي مطهر

التركيب :

| | |
|--------|----------------------------------|
| 0,1 غ | - هيكزاميدين دي ايزيثيونات |
| 0,5 مل | - كلورهيكزيدين دي غلوكونات (20%) |
| 0,3 غ | - كلوروكريزول |
| 100 مل | - سواغ كمية كافية |

الاستطباب :

محلول رغوي مطهر ، مضاد للإنتانات الجرثومية والفطرية ، مزيل للروائح الكريهة .

يستعمل للحالات التالية :

- التهاب الفرج والمهبل : يخفف بنسبة (1-10) ثم تغسل المنطقة بالماء .
- الإنتانات و الالتهابات الجلدية : يستخدم المحلول بعد تخفيفه بنسبة (1-10) ثم تغسل المنطقة بالماء .
- معقم للأيدي : يستعمل المحلول كما هو ثم تغسل الايدي بالماء .

مضادات الاستطباب :

- فريتال محلول لا يستخدم لدى الاشخاص الذين لديهم تحسس لأحد مكونات المستحضر .
- لا يستعمل قرب العيون ولا في الأذن في حالة الشك بوجود انثقاب بطبلة الاذن .

التأثيرات الجانبية :

تفاعلات تحسسية ممكنة مشابهة لحالات الاكزيما .

احتياطات ومحاذير :

- يجب ان يتبع استعمال محلول فريتال بالفسيل الجيد وخاصة عند استعماله بدون تخفيف .
- يجب عدم استعمال محلول معقم اخر او استعمال الصابون في نفس الوقت بعد استعمال محلول فريتال لان ذلك يقلل من فعاليته .
- يجب عدم بلع المحلول .

الحفظ :

- يحفظ المستحضر بدرجة حرارة اقل من 25°م ، بعيدا عن الضوء .
- يجب اغلاق العبوة جيدا بعد كل استعمال .

للاستعمال الخارجي فقط

العبوة :- عبوة فريتال 120 مل .

1-الدواء مستحضر يؤثر على صحتك، واستهلاكه خلافا للتعليمات يعرضك للخطر
2- يحفظ بعيدا عن متناول الاطفال

Freesia
Pharmaceutical Industries

إنتاج فريسيا فارما
اليمن - صنعاء
www.freesiapharma.com

Fretal®

Antiseptic foaming solution

Composition :

| | |
|---------------------------------|--------|
| Hexamine Di-isethionate | 0.1 g |
| Chlorhexidine Digluconate (20%) | 0.5 ml |
| Chlorocresol | 0.3 g |
| Excipient Q.S.F. | 100 ml |

Indications :

Antiseptic foaming solution for bacterial and fungal infections, remove discomfort odor.

It used in the following cases :

- Vaginitis and vulvitis (vaginal lavage) : Fretal is diluted (1-10), then rinse thoroughly with water.
- Skin infections and dermatitis : Fretal is diluted (1-10) , then rinse thoroughly with water.
- Hand disinfection : Fretal is used undiluted followed by thorough rinsing with water.

Contraindications :

- Fretal is contra-indicated for patients who have previously shown hypersensitivity to one of its components.
- Keep out of the eyes and ears in case of ear drum puncture.

Side Effects :

Irritative skin reactions as in the case of contact eczema.

Precautions :

- Rinse thoroughly with water after using Fretal especially if it used undiluted.
- Do not use Fretal with soap, anionic agent or other antiseptic solutions as that will result in decrease its activity .
- Do not swallow.

Storage :

- Store below 25 °C , away from light .
- Tight the bottle after each use .

For external use only

Packaging :- Fretal bottle 120 ml .

1- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you .
2- Keep out of reach of children.

Freesia
Pharmaceutical Industries

Produced by Freesia Pharma
Yemen - Sana'a
www.freesiapharma.com